



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/920,240	08/01/2001	Pierte Roo	MP0039CIP	4035
26703	7590	11/19/2007	EXAMINER	
HARNESS, DICKEY & PIERCE P.L.C.				
5445 CORPORATE DRIVE			YUN, EUGENE	
SUITE 200			ART UNIT	PAPER NUMBER
TROY, MI 48098			2618	
MAIL DATE	DELIVERY MODE			
11/19/2007	PAPER			

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary	Application No.	Applicant(s)	
	09/920,240	ROO ET AL.	
	Examiner	Art Unit	
	Eugene Yun	2618	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 05 September 2007.
- 2a) This action is **FINAL**. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-53,55-90 and 92-110 is/are pending in the application.
 - 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-53,55-90 and 92-110 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on 23 September 2005 is/are: a) accepted or b) objected to by the Examiner.

Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).

Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____. |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____. | 6) <input type="checkbox"/> Other: _____. |

DETAILED ACTION

Claim Rejections - 35 USC § 103

1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

2. Claims 1, 12, 24, 37, 48, 61, 74, 85, and 98 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dankberg (US 5,596,439) and He (US 6,870,881) and further in view of Rabenko et al. (US 6,765,931).

Referring to Claim 1, Dankberg teaches an electrical circuit in a communications channel comprising:

A first sub circuit having a first input for a composite signal, the composite signal including a transmission signal component and a receive signal component (see col. 4, lines 20-22 and input from Receiver to Interference Canceller in fig. 5);

A second input for a replica transmission signal (see input from Source Information Signal in fig. 5); and

an output for a receive signal which comprises the composite signal minus the replica signal (see col. 4, lines 22-26).

Dankberg does not teach a third input which receives a baseline correction current wherein the composite signal, the replica transmission signal, and the baseline correction current are connected together at a common node of the first sub-circuit. He teaches a third input which receives a baseline correction current (see 12 of fig. 9)

wherein the composite signal, the replica transmission signal, and the baseline correction current are connected together at a common node of the first sub-circuit (see 22 of fig. 9 which receives signals from echo canceller 10 and baseline correction circuit 12). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of He to said method of Dankberg in order to reduce complexity in an echo cancellation circuit.

The combination of Dankberg and He does not teach a second sub circuit for controlling an analog baseline correction current, so that the magnitude of the composite signal does not exceed a predetermined value of an operating parameter of the electrical circuit. Rabenko teaches a third input which receives an analog baseline correction current (see 300 before 302 in fig. 8) and a second sub circuit for controlling the analog baseline correction current, so that the magnitude of the composite signal does not exceed a predetermined value of an operating parameter of the electrical circuit (see col. 20, lines 51-65). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Rabenko to the modified method of Dankberg and He in order for the circuit to better adapt to outside conditions.

Claims 37 and 74 have similar limitations to claim 1.

Referring to Claim 12, Dankberg teaches an electrical circuit in a communications channel comprising:

an active resistive summer which produces a receive signal which comprises the composite signal minus the replica signal (see col. 4, lines 22-26), the composite signal

including a transmission signal component and a receive signal component (see col. 4, lines 20-22 and input from Receiver to Interference Canceller in fig. 5).

Dankberg does not teach a baseline correction current wherein the composite signal, the replica transmission signal, and an output of the baseline correction current are connected together at a common node of the active resistive summing circuit. He teaches a baseline correction current (see 12 of fig. 9) wherein the composite signal, the replica transmission signal, and an output of the baseline correction current are connected together at a common node of the active resistive summing circuit (see 22 of fig. 9 which receives signals from echo canceller 10 and baseline correction circuit 12). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of He to said method of Dankberg in order to reduce complexity in an echo cancellation circuit.

The combination of Dankberg and He does not teach an analog baseline correction current control circuit which controls the magnitude of the composite signal. Rabenko teaches an analog baseline correction current control circuit (see 300 before 302 in fig. 8) which controls the magnitude of the composite signal (see col. 20, lines 51-65). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Rabenko to the modified method of Dankberg and He in order for the circuit to better adapt to outside conditions.

Claims 48 and 85 have similar limitations as claim 12.

Referring to Claim 24, Dankberg teaches an electrical circuit in a communications channel comprising:

an active resistive summer having a first input for a composite signal, the composite signal including a transmission signal component and a receive signal component (see col. 4, lines 20-22 and input from Receiver to Interference Canceller in fig. 5), a second input for a replica transmission signal (see input from Source Information Signal in fig. 5), and an output for a receive signal which comprises the composite signal minus the replica signal (see col. 4, lines 22-26).

Dankberg does not teach a third input which receives a baseline correction current wherein the composite signal, the replica transmission signal, and the baseline correction current are connected together at a common node of the active resistive summer. He teaches a third input which receives a baseline correction current (see 12 of fig. 9) wherein the composite signal, the replica transmission signal, and the baseline correction current are connected together at a common node of the active resistive summer (see 22 of fig. 9 which receives signals from echo canceller 10 and baseline correction circuit 12). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of He to said method of Dankberg in order to reduce complexity in an echo cancellation circuit.

The combination of Dankberg and He does not teach an analog baseline correction current control circuit which controls the magnitude of the analog baseline correction current to thereby control the magnitude of the composite signal. Rabenko teaches a third input which receives an analog baseline correction current (see 300 before 302 in fig. 8) and a baseline correction current control circuit which controls the magnitude of the analog baseline correction current to thereby control the magnitude of

the composite signal (see col. 20, lines 51-65). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Rabenko to the modified method of Dankberg and He in order for the circuit to better adapt to outside conditions.

Claims 61 and 98 have similar limitations as claim 24.

3. Claims 2-11, 13-23, 25-36, 38-47, 49-53, 55-60, 62-73, 75-84, 86-90, 92-97, and 99-110 are rejected under 35 U.S.C. 103(a) as being unpatentable over Dankberg, He, and Rabenko and further in view of Patel (US 5,175,764).

Referring to Claims 2, 13, 25, 38, 49, 62, 75, 86, and 99, the combination of Dankberg, He, and Rabenko does not teach a power supply voltage source of a predetermined magnitude, wherein the operating parameter is the predetermined magnitude of the power supply voltage source. Patel teaches a power supply voltage source of a predetermined magnitude, wherein the operating parameter is the predetermined magnitude of the power supply voltage source (see col. 6, lines 50-54). Therefore, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the teachings of Patel to the modified device of Dankberg, He, and Rabenko in order to better prevent the use of excessive amounts of power.

Referring to Claims 3, 15, 28, 39, 52, 65, 76, 89, and 102, Patel also teaches a common-mode feedback circuit (see col. 10, lines 60-65).

Referring to Claims 4, 16, 29, 40, 53, 66, 77, 90, and 103, Patel also teaches an operational amplifier (see col. 7, lines 49-51).

Referring to Claims 5, 17, 30, 41, 67, 78, and 104, Rabenko also teaches the operational amplifier having a first input which receives a first differential component of the composite signal, a second input which receives a second differential component of the composite signal, a third input which receives a common-mode voltage signal (see col. 24, lines 43-48), and an output which provides a baseline correction current control signal (see col. 20, lines 51-65).

Referring to Claims 6, 18, 31, 42, 55, 68, 79, 92, and 105, Patel also teaches the common-mode feedback circuit including a pair of transistors, each transistor having a respective input and wherein the output of the operational amplifier is coupled to the respective input of each of the transistors (see col. 6, lines 15-21).

Referring to Claims 7, 19, 32, 43, 56, 69, 80, 93, and 106, Patel also teaches the second sub-circuit including a current source (see col. 6, lines 18-22).

Referring to Claims 8, 20, 33, 44, 57, 70, 81, 94, and 107, Rabenko also teaches the current source providing a constant baseline correction current control signal (see col. 20, lines 51-65).

Referring to Claims 9, 21, 34, 45, 58, 71, 82, 95, and 108, Patel also teaches a resistor divider (see col. 6, lines 46-50).

Referring to Claims 10, 22, 35, 46, 59, 72, 83, 96, and 109, Patel also teaches the resistor divider comprising a plurality of resistors, each of the resistors having a respective characteristic resistance (see col. 6, lines 46-50).

Referring to Claims 11, 23, 36, 47, 60, 73, 84, 97, and 110, Rabenko also teaches the resistor divider providing a baseline correction current control signal that is related to the respective resistances of each of the resistors (see col. 24, lines 34-42).

Referring to Claims 14, 26, 50, 63, 87, and 100, Rabenko also teaches the analog baseline correction current control circuit controlling the magnitude of the composite signal to be less than the magnitude of the power supply voltage source (see col. 20, lines 51-65).

Referring to Claims 27, 51, 64, 88, and 101, Rabenko also teaches the magnitude of the analog baseline correction current control circuit controlling the magnitude of the composite signal to be equal to the magnitude of the power supply voltage source (see col. 20, lines 51-65).

Response to Arguments

4. Applicant's arguments filed 9/5/2007 have been fully considered but they are not persuasive.

The applicant argues that the He reference does not teach "the composite signal, the replica transmission signal, and the baseline correction current are connected together at a common node". The examiner again points to fig. 9. The signals which are combined at adder 22, despite including other elements, include all the elements in the above limitation. The composite signal and the replica transmission signal come from the echo canceller and the baseline correction current comes from 12, which eventually makes its way to adder 22. The claims do not state that the common node must include

only the above elements and exclude everything else. Therefore, the examiner still believes that the He reference teaches "the composite signal 10, the replica transmission signal 10, and the baseline correction current 12 are connected together at a common node 22" and therefore, stands by his rejection.

Conclusion

5. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Eugene Yun whose telephone number is (571) 272-7860. The examiner can normally be reached on 9:00am-6:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Matthew D. Anderson can be reached on (571)272-4177. The fax phone

Application/Control Number:
09/920,240
Art Unit: 2618

Page 10

number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

EY
Eugene Yun
Examiner
Art Unit 2618

EY


MATTHEW ANDERSON
SUPERVISORY PATENT EXAMINER